

PRODUCT-DETAILS

S2-S/H

S2-S/H Signal / Auxiliary Contact



General Information

Extended Product Type	S2-S/H
Product ID	GHS2801901R0008
EAN	4012233429004
Catalog Description	S2-S/H Signal / Auxiliary Contact
Long Description	S2-S/H SIGNALCONTAC + AUXILIARY CONTACT

Technical

Product Name	Signal / Auxiliary Contact
Tripping Characteristic	Accessory
Function	Signal / Auxiliary Contact
Suitable For	S280 S280UC
Suitable for Product Class	Miniature Circuit Breaker
Accessory Type	Auxiliary Contact / Signal Contact
Remarks	screw connection

Environmental

Ambient Air Temperature Compensation	No
RoHS Status	Following EU Directive 2011/65/EU

Dimensions

Product Net Width	8.8 mm
Product Net Height	90 mm
Product Net Depth / Length	68 mm
Product Net Weight	0.051 kg
Size	4 modules

Container Information

Package Level 1 Units	crate 50 piece
Package Level 1 Width	275 mm
Package Level 1 Height	210 mm
Package Level 1 Depth / Length	395 mm
Package Level 1 Gross Weight	3.082 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	3217903
E-Number (Sweden)	2102606
Country of Origin	Bulgaria (BG)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	GNGN040506
Instructions and Manuals	GHS2807003P0009
RoHS Information	2CDK440016K0201

Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
Instructions and Manuals	GHS2807003P0009

Classifications

ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
UNSPSC	39121614
eClass	V11.0 : 27143502
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

